

Product Type	Product name	Typical use	Application method	Colours	Key features
Preservative	Teknol Aqua 1410	A topical preservative meeting Class 3, BS EN 335-1 when used in Teknos' factory applied protection system	Dip, Flow Coat	Colourless	<ul style="list-style-type: none"> • Tested to BS EN 599-1 • BPD, NHBC and BRE approved • Resists wood destroying fungi and moulds
	Aqua Primer Combi 2907	Combination base stain and topical preservative meeting Class 3, BS EN 335-1 when used in Teknos' factory applied protection system	Dip, Flow Coat	Range of base stain shades	<ul style="list-style-type: none"> • Tested to BS EN 599-1 • BPD, NHBC and BRE approved • Resists wood destroying fungi and moulds
Isolating product	Anti Stain Aqua 2901	Inhibits natural tannin staining on hardwood joinery and veneers	Dip, Flow Coat or Spray	Antique White, Grey	<ul style="list-style-type: none"> • Harwood stain inhibitor • Internal or external use • Primer and/or mid coat application
	Anti Stain Aqua 5200	Knot stain inhibitor in combination with Teknofill 5001 and Teknos Knotting	Spray	White	<ul style="list-style-type: none"> • Knot stain inhibitor • Internal or external use • Primer or mid coat application
MDF Sealer	Teknoseal 4002	A translucent sealer for exterior MDF. Used as a first coat in a Teknos protective system	Spray	Colourless	<ul style="list-style-type: none"> • Excellent filling and blocking • Inhibits moisture ingress • Reduced fibre raising



Product Type	Product name	Typical use	Application method	Colours	Key features
Translucent Base Coat	Aqua Primer 2900 Translucent base stain	Hardwood and Softwood structures and joinery components	Dip, Flow Coat or Spray	A wide range of natural wood stain colours	<ul style="list-style-type: none"> Internal or external use Equalises surface colour Increases substrate UV Stability
	Aqua Primer 2900	Softwood structures and joinery components	Dip, Flow Coat	White, Cream	<ul style="list-style-type: none"> Internal or external use
Opaque Primers	Aqua Primer 3130	Softwood structures and joinery components	Spray	White, Grey, Cream	<ul style="list-style-type: none"> Internal or external use High film build Excellent grain filling and sanding
	Teknocryl Aqua 2940	Composite materials such as GRP, wood/uPVC blends	Spray	Grey, Red Oxide, RAL 1011, Oak, Mahogany, Rosewood	<ul style="list-style-type: none"> Excellent adhesion to a wide range of plastics Topcoated with Aquatop 2600 Base colour for grained finishes
	Teknocryl Aqua 2780	Aluminium, powder coated, and uPVC components	Spray	Grey	<ul style="list-style-type: none"> Good adhesion on wide range of surfaces Allows non timber components to be finished with Aquatop 2600



Product Type	Product name	Typical use	Application method	Colours	Key features
Opaque topcoats	Aquatop 2600 White	Microporous white finish for exterior joinery	Spray, brush or roller	Brilliant white, RAL 9010, and RAL 9016	<ul style="list-style-type: none"> Durable and decorative high build microporous coatings Water based Brilliant white available in gloss, semi gloss or satin sheen Other opaque colours supplied in natural satin sheen Fast drying and non blocking formulation Mould resistant Meets Class 3: BS EN 476 Part 7
	Aquatop 2600 Opaque	Microporous opaque finish for exterior joinery	Spray, brush or roller	Extensive range of RAL, BS, NCS, Teknos and bespoke opaque shades	
Translucent topcoats	Aquatop 2600	Microporous translucent finish for exterior joinery	Spray, brush or roller	Teknos "Lodge" and "Parkland" shades and a wide range of natural wood colours	<ul style="list-style-type: none"> Durable and decorative microporous translucent coatings Water based Aquatop 2600 translucent finishes available in gloss or satin sheen Aquafiller 5000 supplied in satin sheen Fast drying and non blocking formulation Mould resistant
	Aquafiller 5000	Microporous mid coat and top coat for decking, timber structures and exterior joinery	Spray, brush or roller		




Product Type	Product name	Typical use	Application method	Colours	Key features
Stain	Teknostain 1992	Water based stain to enhance colour of softwood veneers	Spray, Brush or Rag	12 traditional colours	<ul style="list-style-type: none"> • Quick drying • reduced grain raising
Sanding sealer	Aqua Filler 2800	Grain filler and sealer for internal joinery	Spray or vacuum coater	Colourless	<ul style="list-style-type: none"> • High film build • Good drying and sanding properties
Opaque primers	Aqua Primer 3130	Water based primer for softwood veneers, MDF and HDF	Spray	White, cream and grey	<ul style="list-style-type: none"> • High film build • Excellent filling and blocking
	Aqua Primer 2900		Vacuum coater	White and cream	<ul style="list-style-type: none"> • Excellent filling and blocking • Good foam resistance
	Anti Stain Aqua 2901	Stain inhibiting primer for hardwood and hardwood veneers	Spray	Antique white and grey	<ul style="list-style-type: none"> • Tannin inhibitor • Excellent filling and sanding properties
Opaque top coats	Aquacoat 2650	Water based white top coat for interior joinery	Spray, vacuum coater, brush or roller	Clean White	<ul style="list-style-type: none"> • Gloss or satin finish • Tested to FIRA 6250 • Internal surfaces of pool enclosures
	Aquacoat 2670	Water based opaque top coat for interior joinery		RAL, BS, NCS, Teknos and bespoke shades	<ul style="list-style-type: none"> • Satin finish • Tested to FIRA 6250 • Internal surfaces of swimming enclosures
Translucent top coat	Aquacoat 2650	Water based translucent top coat for interior joinery		Range of natural wood colours	<ul style="list-style-type: none"> • Gloss or satin finish • Tested to FIRA 6250 • Internal surfaces of pool enclosures



Product Type	Product name	Typical use	Application method	Colours	Key features
Twin component primer	Teknopox Aqua 3	Epoxy primer for aluminium, exterior metal fittings, cappings etc.	Spray or brush	Grey	<ul style="list-style-type: none"> Water based Twin pack, chemically cured, high performance primer
Twin component opaque top coat	Teknodur Aqua 3393	Polyurethane opaque satin finish for composite doors, uPVC, exterior fittings and cappings	Spray or brush	Wide range of RAL, BS, NCS, Teknos and bespoke colours	<ul style="list-style-type: none"> Water based Twin pack, chemically cured, high performance top coat Ideal for areas where extended maintenance life is required
Twin component clear top coat	Teknodur Aqua 3394	Clear Polyurethane satin finish for composite doors, uPVC, exterior fittings and cappings	Spray or brush	Colourless	<ul style="list-style-type: none"> Water based, twin pack, chemically cured, high performance finish Improved scratch resistance on doors and composite components
Degreaser	Teknosolv 6490	Single pack degreaser for metal, uPVC and composite materials	Dip or pressure washer	Clear	<ul style="list-style-type: none"> Water basedFast flash off Low VOC; low odour



Product Type	Product name	Typical use	Application method	Colours	Key features
Opaque primer	Teknal 2500	Opaque primer for timber structures and joinery	Spray or brush	White and Grey	<ul style="list-style-type: none"> Internal or external use Quick drying with good sandability High film build
Tranlucent base stain	Teknol 2300	Tranlucent base stain for timber structures and joinery	Dip, Spray or brush	Range of natural wood stain colours	<ul style="list-style-type: none"> Internal or external use Minimal grain raising
Tranlucent top coat	Teknal 2350	Tranlucent top coat for timber structures and joinery	Spray, brush or roller	Range of natural wood colours	<ul style="list-style-type: none"> Internal or external use High clarity
Thinner and Cleaner	Teknosolv 7012	Cleaner for spray equipment and timber degreasing	Brush or cloth	Clear	<ul style="list-style-type: none"> Cost effective cleaning solvent Fast flash off
	Teknosolv 6220	Thinner and cleaner for 2 component products	Additive, or apply Brush or cloth	Clear	<ul style="list-style-type: none"> Cost effective cleaning solvent Aids flow and wetting properties



Product Type	Product name	Typical use	Application method	Colours	Key features
Ancillary products	Teknoseal 4000	End grain sealer for exterior joinery	Brush	Colourless	<ul style="list-style-type: none"> Water based Quick drying Minimises vulnerability of exposed end grain
	Teknoseal 4001	Water borne joint sealer	Cartridge gun	Colourless	<ul style="list-style-type: none"> Water based Quick drying Minimises vulnerability of exposed end on "v" construction joints
	Teknoseal 4002	A clear sealer for MDF and HDF	Spray or vacuum coater	Colourless	<ul style="list-style-type: none"> Excellent filling and blocking Sealant for cut edges Reduces fibre lift
	Teknofill 5001	Exterior grade, single pack, fine surface filler	Spatula or filling knife	White	<ul style="list-style-type: none"> Water based Excellent sanding properties External and internal use
	Teknos knotting	Solvent based sealing lacquer for softwood knots	brush	Translucent	<ul style="list-style-type: none"> Used in conjunction with Teknofill 5001, provides excellent resistance to softwood knot staining

